

Indeboom: Occupational Therapy Consulting for Aging- in-Place

Live for the future.


Create independence at home.



Occupational Therapy (OT)

Enables people to participate in the Activities of Daily Living (ADLs) by modifying the environment, or by adapting the activity to increase participation.

A Broken Cycle at Home



Repair the broken cycle

**1. Home Needs
Assessment**

**2. Home Needs
Proposal**

Independence at Home

**3. Adaptation
and Modification**

4. Follow through

Home Needs Assessment

Indeboom can utilize any medical diagnosis to assist in creating a plan of care.

Indeboom will assess for any barriers to independence, due to current home design and determine appropriate aging-in-place adjustments.

To help clients plan for the future and ensure that they can remain independent in their homes for as long and safely as possible.

Create an Independence Boom!



Be Proactive

To age deliberately requires planning. Schedule a home needs assessment **BEFORE** a health crisis occurs.

Be Engaged

A home needs assessment allows your client to fully consider future needs and wants.

Obtain Independence

Not all evaluations will result in the need to make major renovations. Even small improvements such as removing thresholds, installing grab-bars in strategic locations, can help your clients achieve long term independence in their home.

Contact Information and Qualifications

To set up an in-home assessment:

E-mail: gerryc@indeboom.com

Phone: 425-591-8037

Website: www.indeboom.com

Gerry Cherney, MEOT, BS, OTR/L, CAPS

Education and Qualifications

- ◆ Springfield College, Springfield, MA (Masters of Education in Occupational Therapy)
- ◆ University of Southern California's Andrus Gerontology Center (Executive Certificate in Home Modifications – National Resource Center on Supportive Housing and Home Modification)
- ◆ National Association of Home Builders, Washington, DC (Certified Aging-In-Place Specialist)
- ◆ Penn State University (Bachelor of Science in Health Education, Minors in Kinesiology, Gerontology)